Use this product for cleaning and deodorizing, one-step cleaning and disinfection, or disinfection of precleaned, hard non-porous surfaces.*Effective at 6 oz. per gallon of water against Pseudomonas aeruginosa PRD-10, Salmonella enterica ATCC 10708, and Staphylococcus aureus ATCC 6538 when tested by the A.O.A.C. Use Dilution Test Method for precleaned, hard nonporous surfaces. This product has demonstrated effectiveness against influenza A virus and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 influenza A virus. **An effective virucide at 6 oz. per gallon of water against Herpes Simplex Virus Type 2 and Influenza Virus Type A/Brazil. When applied as directed to precleaned hard, nonporous surfaces, this product also kills the following organisms at 6 ounces per gallon: Candida albicans, Enterobacter aerogenes, Escherichia coli, Shiqella sonnei, Streptococcus pyogenes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLICATION INFORMATION

Select the proper use-dilution of this product from the directions below.

Apply the use solution with a clean mop, sponge, cloth, squeegee, or mechanical scrubber.

For disinfection, thoroughly wet the surfaces to be treated. Surfaces must remain moist for at least 10 minutes to assure proper germicidal action. Wipe dry with a clean cloth or sponge or allow to air dry.

Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use this product on utensils, glassware or dishes.

Prepare fresh use solutions daily. Do not reuse solutions. Discard solutions when they become visibly soiled.

CLEANING

To Clean and Deodorize or to Preclean Prior to Disinfection. Depending on the soil level of the area to be cleaned, use 3 to 12 oz. of this product per gallon of water.

Hospitals, Healthcare Facilities, Nursing Homes: Use 7½ oz. of this product per gallon of water (1 part to 16 parts water) for one-step cleaning and disinfection of areas with light to medium soil loads. For heavily soiled areas, preclean as described above and then disinfect with 6 oz. of this product per gallon of water (1 part to 20 parts water).

This product is not to be used on medical device surfaces.

Schools, Industrial areas, Homes, Barber Shops, Restrooms, Restaurants, Food and Meat Processing Plants (nonfood, processing areas). Public Rooms, Other Non-Medical use sites: Preclean surfaces. Then, disinfect with a use-solution of 4 oz. of this product in a gallon of water (1 part to 32 parts water). Alternatively, clean and disinfect in one operation using 7½ oz. of this product per gallon of water.

DEODORIZING: garbage cans, garbage trucks, Industrial waste receptacles and garbage handling equipment, it is especially important to preclean for the product to perform properly. Then, apply a wetting concentration of 16 oz. of this product per gallon of water

FOR MILDEW CONTROL: Follow directions for hospital disinfection. Repeat treatment every seven days, or more often if new growth appears.

FUNGICIDAL ACTIVITY - At 7 ½ oz. per gallon of water (or equivalent dilution) this product is effective against Candida albicans on hard non-porous surfaces.

> **HMIS Chemical Classification Codes:** HEALTH=3, FIRE=0, REACTIVITY=0 4=Extreme, 3=High, 2=Moderate, 1=Slight, 0=None

MAXIM

Pine Disinfectant Cleaner

- *Kills Pseudomonas, Salmonella and Staphylococcus
 Kills Pandemic 2009 H1N1 influenza A virus (formerly called swine flu)
- **Virucidal **Kills Influenza and Herpes Viruses

ACTIVE INGREDIENTS:

| Pine oil | / o |
|---|------------|
| Alkyl (C ₁₄ , 58%; C ₁₆ , 28%; C ₁₂ , 14%) dimethyl benzyl ammonium chloride | % |
| OTHER INGREDIENTS 94.08° | % |
| TOTAL 100.00° | % |

EPA REG. NO. 6836-169-45745

FPA FST. NO. 45745-TN-1

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

 $IF SWALLOWED: Call \ a poison control center or doctor immediately for treatment advice. Have person sip \ a glass \ of water if \ able to \ swallow.$ Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

KEEP OUT OF REACH OF CHILDREN DANGER

see right panel for additional precautionary statements

NET CONTENTS- ONE U.S. GALLON (3.78 LITERS)

DS 406

VETERINARY PRACTICE / ANIMAL CARE / ANIMAL LABORATORY / ZOOS / PET SHOP / KENNELS DISINFECTION DIRECTIONS:

For cleaning and disinfecting the following hard nonporous surfaces: equipment not used for animal food or water, utensils, instruments, cages, kennels, stables, catteries, etc. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Thoroughly clean all surfaces with soap or detergent and rinse with potable water. Saturate surfaces with a use-solution of 7 ½ oz. of this product per gallon of water (1 part to 16 parts water) (or equivalent dilution) for a period of 10 minutes. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. TOILET BOWL / URINAL DISINFECTANT AND CLEANER DIRECTIONS:

Empty toilet bowl or urinal and apply a 7 ½ oz per gallon of water use-solution to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer. Brush or swab thoroughly and allow to stand for 10 minutes and flush.

SALON (BARBER) INSTRUMENTS AND TOOLS DISINFECTION / VIRUCIDE* / DIRECTIONS:

Mix 7 1/2 oz. of this product per gallon of water (or equivalent dilution) to disinfect hard, nonporous instruments and tools. Completely immerse combs, brushes, rollers, razors, scissors, blades, manicure and other salon instruments and tools for 10 minutes. For heavily soiled instruments and tools, a preliminary cleaning is required. Rinse thoroughly and dry before use. Prepare a fresh solution daily or more often if the solution becomes visibly diluted, cloudy or soiled.

Note: Plastics may remain immersed until ready to use. Stainless steel shears and instruments must be removed after 10 minutes, rinsed, dried and kept in a clean, non-contaminated receptacle. Prolonged soaking may cause damage to metal instruments.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food. Wear protective eyewear (goggles, face shield or safety glasses) protective clothing and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing hefore reuse

ENVIRONMENTAL HAZARDS:

This product is toxic to fish and aquatic invertebrates.

PHYSICAL OR CHEMICAL HAZARDS:

Combustible. Do not use or store near heat or open flame

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Container Disposal: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.



232 Industrial Park Rd Sweetwater, TN 37874 1.800.467.6294 midlab com



