

## SAFETY EYEWEAR



### Uvex Ambient™ OTG (Over-the-Glass)

Exceptional coverage, fits comfortably over most prescription eyewear

- Exceptional peripheral vision and coverage in a lightweight, wrap-around uni-lens design
- Available with multiple high-performance coating options
- Soft, flexible nasal fingers conform to a variety of facial profiles and minimize slippage
- Bendable, wire-core temples offer flexibility with a secure, customized fit
- Offered in two lens sizes (medium and large) to fit comfortably over most prescription eyewear (medium is 13% smaller)
- Lifetime frame guarantee and economical lens replacement system
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standard

Item #	Frame Color/Lens Tint	Coating	Temple Style
S3150	Blue (Large)/Clear	Ultra-dura HC	Bendable Wire-core
S3150X	Blue (Large)/Clear	Uvextreme AF	Bendable Wire-core
S3150D	Blue (Large)/Clear	Dura-streme HC/AF	Bendable Wire-core
S3151	Blue (Large)/Amber	Ultra-dura HC	Bendable Wire-core
S3151X	Blue (Large)/Amber	Uvextreme AF	Bendable Wire-core
S3152	Blue (Large)/Standard Gray	Ultra-dura HC	Bendable Wire-core
S3152X	Blue (Large)/Standard Gray	Uvextreme AF	Bendable Wire-core
S3153	Blue (Large)/Shade 3.0	Ultra-dura HC	Bendable Wire-core
S3155	Blue (Large)/Shade 5.0	Ultra-dura HC	Bendable Wire-core

Additional SKUs available – see full SKU listing at end of Uvex section



S3152

### Uvex Astrospec 3000®

Simple yet effective design applicable in many fields, offers an economical lens replacement system

- Lightweight unilens offers panoramic vision
- Lifetime frame guarantee and economical lens replacement system
- Adjustable lens inclination and temple length
- Custom imprinting available
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standard
- Clear, Gray, Amber, Silver Mirror, and SCT-Reflect 50 tints meet Mil V<sub>0</sub> ballistic test for impact
- Made in USA



S135C

SKU	Frame Color/Lens Tints	Lens Coating	Temple Style
S135	Black/Clear	Ultra-dura HC	Spatula
S1359	Black/Clear	Ultra-dura	Duoflex
S136	Black/Clear	Ultra-dura	Spatula
S135C	Black/Clear	Uvextreme AF	Spatula
S1359C	Black/Clear	Uvextreme AF	Duoflex
S1299C	Blue/Clear	Uvextreme AF	Duoflex

Additional SKUs available – see full SKU listing at end of Uvex section



Call Customer Care at 800 430-5490.

## UVEX SKU LISTING

### SAFETY EYEWEAR

#### Uvex Ambient™ OTG

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S3150	Blue (Large)/Clear	Ultra-dura HC	Bendable wire-core
S3150X	Blue (Large)/Clear	Uvextreme AF	Bendable wire-core
S3150D	Blue (Large)/Clear	Dura-streme HC/AF	Bendable wire-core
S3151	Blue (Large)/Amber	Ultra-dura HC	Bendable wire-core
S3151X	Blue (Large)/Amber	Uvextreme AF	Bendable wire-core
S3152	Blue (Large)/Std. Gray	Ultra-dura HC	Bendable wire-core
S3152X	Blue (Large)/Std. Gray	Uvextreme AF	Bendable wire-core
S3153	Blue (Large)/Shade 3.0	Ultra-dura HC	Bendable wire-core
S3155	Blue (Large)/Shade 5.0	Ultra-dura HC	Bendable wire-core
S3160	Blue (Medium)/Clear	Ultra-dura HC	Bendable wire-core
S3160X	Blue (Medium)/Clear	Uvextreme AF	Bendable wire-core
S3161	Blue (Medium)/Amber	Ultra-dura HC	Bendable wire-core
S3162	Blue (Medium)/Std. Gray	Ultra-dura HC	Bendable wire-core
S3163	Blue (Medium)/Shade 3.0	Ultra-dura HC	Bendable wire-core
S3165	Blue (Medium)/Shade 5.0	Ultra-dura HC	Bendable wire-core

#### REPLACEMENT LENSES

Item #	Frame Size	Lens Tint	Lens Coating
S6440	Large	Clear	Ultra-dura Anti-Scratch
S6440X	Large	Clear	Uvextreme Anti-Fog
S6440D	Large	Clear	Dura-streme (Anti-Fog/Anti-Scratch)
S6441	Large	Amber	Ultra-dura Anti-Scratch
S6441X	Large	Amber	Uvextreme Anti-Fog
S6442	Large	Standard Gray	Ultra-dura Anti-Scratch
S6442X	Large	Standard Gray	Uvextreme Anti-Fog
S6443	Large	Shade 3.0	Ultra-dura Anti-Scratch
S6445	Large	Shade 5.0	Ultra-dura Anti-Scratch
S6450	Medium	Clear	Ultra-dura Anti-Scratch
S6451	Medium	Amber	Ultra-dura Anti-Scratch
S6452	Medium	Standard Gray	Ultra-dura Anti-Scratch
S6453	Medium	Shade 3.0	Ultra-dura Anti-Scratch
S6455	Medium	Shade 5.0	Ultra-dura Anti-Scratch

#### Uvex Astrospec 3000®

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S135	Black/Clear	Ultra-dura HC	Spatula
S1359	Black/Clear	Ultra-dura HC	Duoflex
S135C	Black/Clear	Uvextreme AF	Spatula
S1359C	Black/Clear	Uvextreme AF	Duoflex
S136	Black/Gray	Ultra-dura HC	Spatula
S1369	Black/Gray	Ultra-dura HC	Duoflex
S136C	Black/Gray	Uvextreme AF	Spatula
S1360	Black/Light Gray	Ultra-dura HC	Spatula
S145	Black/Amber	Ultra-dura HC	Spatula
S137	Black/Silver Mirror	Ultra-dura HC	Spatula
S1379	Black/Silver Mirror	Ultra-dura HC	Duoflex
S112	Black/SCT-Low IR	Ultra-dura HC	Spatula
S1361	Black/SCT-Gray	Ultra-dura HC	Spatula
S1362C	Black/SCT-Vermilion	Uvextreme AF	Spatula
S13659X	Black/SCT-Blue	Uvextreme AF	Duoflex
S111029	Black/Shade 2.0 Infra-dura	Ultra-dura HC	Duoflex
S1111	Black/Shade 3.0 Infra-dura	Ultra-dura HC	Spatula
S1112	Black/Shade 5.0 Infra-dura	Ultra-dura HC	Spatula
S129	Blue/Clear	Ultra-dura HC	Spatula
S129C	Blue/Clear	Uvextreme AF	Spatula
S1299C	Blue/Clear	Uvextreme AF	Duoflex
S130	Blue/Gray	Ultra-dura HC	Spatula
S130C	Blue/Gray	Uvextreme AF	Spatula
S1169	Patriot RWB/Clear	Ultra-dura HC	Duoflex
S1169C	Patriot RWB/ Clear	Uvextreme AF	Duoflex
S1179	Patriot RWB/Gray	Ultra-dura HC	Duoflex

S1179C	Patriot RWB/Gray	Uvextreme AF	Duoflex
S11791	Patriot RWB/Light Gray	Ultra-dura HC	Duoflex
S1159	Patriot RWB/Amber	Ultra-dura HC	Duoflex
S1149	Patriot RWB/Silver Mirror	Ultra-dura HC	Duoflex

#### REPLACEMENT LENSES

Item #	Lens Tint	Lens Coating
S535	Clear	Ultra-dura HC
S535C	Clear	Uvextreme AF
S536	Gray	Ultra-dura HC
S536C	Gray	Uvextreme AF
S537	Amber	Ultra-dura HC
S538	Silver Mirror	Ultra-dura HC
S541	SCT-Gray	Ultra-dura HC
S539C	SCT-Vermilion	Uvextreme AF
S540	SCT-Low IR	Ultra-dura HC
S544C	SCT-Blue	Uvextreme AF
S5410	SCT-Reflect 50	Ultra-dura HC
S5412	Shade 2.0 Infra-dura	Ultra-dura HC
S542	Shade 3.0 Infra-dura	Ultra-dura HC
S543	Shade 5.0 Infra-dura	Ultra-dura HC

#### Uvex Astrospec 3000® S (Slim)

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S2700	Black/Clear	Ultra-dura HC	Spatula
S2700C	Black/Clear	Uvextreme AF	Spatula
S2701	Black/Gray	Ultra-dura HC	Spatula
S2701C	Black/Gray	Uvextreme AF	Spatula
S2709	Black/Shade 5.0 Infra-dura	Ultra-dura HC	Spatula
S2710	Blue/Clear	Ultra-dura HC	Spatula
S2710C	Blue/Clear	Uvextreme AF	Spatula
S2711	Blue/Gray	Ultra-dura HC	Spatula
S2711C	Blue/Gray	Uvextreme AF	Spatula
S2730	Patriot RWB/Clear	Ultra-dura HC	Spatula
S2730C	Patriot RWB/Clear	Uvextreme AF	Spatula
S2731	Patriot RWB/Gray	Ultra-dura HC	Spatula
S2731C	Patriot RWB/Gray	Uvextreme AF	Spatula

#### REPLACEMENT LENSES

Item #	Lens Tint	Lens Coating
S570	Clear	Ultra-dura HC
S570C	Clear	Uvextreme AF
S571	Gray	Ultra-dura HC
S571C	Gray	Uvextreme AF

#### Uvex Astrospec 3000® CB (Custom Bridge)

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S2200	Black/Clear	Ultra-dura HC	Spatula
S2200C	Black/Clear	Uvextreme AF	Spatula

#### REPLACEMENT LENSES

Item #	Lens Tint	Lens Coating
S528C	Clear	Uvextreme AF

#### Uvex Astrospec 3000® S CB (Slim Custom Bridge)

Item #	Frame Color/Lens	Tint Lens Coating	Temple Style
S2212	Blue/Clear	Ultra-dura HC	Spatula

#### Uvex Astrospec® OTG 3001

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S2500	Black/Clear	Ultra-dura HC	Duoflex
S2500C	Black/Clear	Uvextreme AF	Duoflex
S2501	Black/Amber	Ultra-dura HC	Duoflex
S2504	Black/Gray	Ultra-dura HC	Duoflex
S2504C	Black/Gray	Uvextreme AF	Duoflex
S2505	Black/SCT-Low IR	Ultra-dura HC	Duoflex
S2506	Black/SCT-Gray	Ultra-dura HC	Duoflex

Call Customer Care at 800 430-5490.

**REFERENCE: APPLICATION SELECTION AND TECHNICAL INFO**

	Clear	Espresso	Gray	Amber	50% Gray	Light Gray	Dark Gray	Silver Mirror	Gold Mirror	Red Mirror	Blue Mirror	SCT-Reflect 50	SCT-Vermilion	SCT-Blue	SCT-Orange	SCT-Gray	SCT-Low IR	Infra-dura® 2.0	Infra-dura® 3.0	Infra-dura® 5.0	Cobalt	Didymium (glass)	Blue Mist	Photochromic	Polarized
<b>Specifications</b>																									
VLT (Visual Light Transmission)	92%	15%	15%	90%	50%	35%	10%	15%	15%	15%	15%	50%	55%	57%	45%	15%	80%	35%	14%	2%	0.2%	48%	86%	21%	12%
UV Absorption (UVA, UVB and UVC)	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	80.0%	99.9%	86.0%	99.9%
<b>Applications</b>																									
Most indoor applications	Yes																						Yes	Yes	
Low light applications in which contrast may be enhanced				Yes								Yes											Yes		
Reduce lens glare from fluorescent and halogen lights												Yes													
Outdoor applications where sunlight and glare cause eye strain and fatigue		Yes	Yes		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes				Yes									Yes
Indoor/outdoor applications	Yes			Yes	Yes							Yes													Yes
Strong sunlight and glare		Yes	Yes				Yes	Yes	Yes	Yes	Yes					Yes									Yes
Indoor applications where peripheral infrared radiation protection is required (under welding helmets, near welding sites)																	Yes								
Work areas with high levels of yellow light using sodium vapor lighting													Yes												
Situations with high heat applications such as metal glare and glass blowing																					Yes	Yes			
Torch welding, torch brazing and cutting																		Yes	Yes	Yes					
Reduces eye fatigue by absorbing blue and green light (good for UV lamp exposure)														Yes				Yes	Yes	Yes					