

## SAFETY EYEWEAR



### Uvex Ambient™ OTG (Over-the-Glass)

Exceptional coverage, fits comfortably over most prescription eyewear

- Exceptional peripheral vision and coverage in a lightweight, wrap-around uni-lens design
- Available with multiple high-performance coating options
- Soft, flexible nasal fingers conform to a variety of facial profiles and minimize slippage
- Bendable, wire-core temples offer flexibility with a secure, customized fit
- Offered in two lens sizes (medium and large) to fit comfortably over most prescription eyewear (medium is 13% smaller)
- Lifetime frame guarantee and economical lens replacement system
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standard

Item #	Frame Color/Lens Tint	Coating	Temple Style
S3150	Blue (Large)/Clear	Ultra-dura HC	Bendable Wire-core
S3150X	Blue (Large)/Clear	Uvextreme AF	Bendable Wire-core
S3150D	Blue (Large)/Clear	Dura-streme HC/AF	Bendable Wire-core
S3151	Blue (Large)/Amber	Ultra-dura HC	Bendable Wire-core
S3151X	Blue (Large)/Amber	Uvextreme AF	Bendable Wire-core
S3152	Blue (Large)/Standard Gray	Ultra-dura HC	Bendable Wire-core
S3152X	Blue (Large)/Standard Gray	Uvextreme AF	Bendable Wire-core
S3153	Blue (Large)/Shade 3.0	Ultra-dura HC	Bendable Wire-core
S3155	Blue (Large)/Shade 5.0	Ultra-dura HC	Bendable Wire-core

Additional SKUs available – see full SKU listing at end of Uvex section



S3152

### Uvex Astrospec 3000®

Simple yet effective design applicable in many fields, offers an economical lens replacement system

- Lightweight unilens offers panoramic vision
- Lifetime frame guarantee and economical lens replacement system
- Adjustable lens inclination and temple length
- Custom imprinting available
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standard
- Clear, Gray, Amber, Silver Mirror, and SCT-Reflect 50 tints meet Mil V<sub>0</sub> ballistic test for impact
- Made in USA



S135C

SKU	Frame Color/Lens Tints	Lens Coating	Temple Style
S135	Black/Clear	Ultra-dura HC	Spatula
S1359	Black/Clear	Ultra-dura	Duoflex
S136	Black/Clear	Ultra-dura	Spatula
S135C	Black/Clear	Uvextreme AF	Spatula
S1359C	Black/Clear	Uvextreme AF	Duoflex
S1299C	Blue/Clear	Uvextreme AF	Duoflex

Additional SKUs available – see full SKU listing at end of Uvex section



Call Customer Care at 800 430-5490.

## UVEX SKU LISTING

### SAFETY EYEWEAR

#### Uvex Ambient™ OTG

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S3150	Blue (Large)/Clear	Ultra-dura HC	Bendable wire-core
S3150X	Blue (Large)/Clear	Uvextreme AF	Bendable wire-core
S3150D	Blue (Large)/Clear	Dura-streme HC/AF	Bendable wire-core
S3151	Blue (Large)/Amber	Ultra-dura HC	Bendable wire-core
S3151X	Blue (Large)/Amber	Uvextreme AF	Bendable wire-core
S3152	Blue (Large)/Std. Gray	Ultra-dura HC	Bendable wire-core
S3152X	Blue (Large)/Std. Gray	Uvextreme AF	Bendable wire-core
S3153	Blue (Large)/Shade 3.0	Ultra-dura HC	Bendable wire-core
S3155	Blue (Large)/Shade 5.0	Ultra-dura HC	Bendable wire-core
S3160	Blue (Medium)/Clear	Ultra-dura HC	Bendable wire-core
S3160X	Blue (Medium)/Clear	Uvextreme AF	Bendable wire-core
S3161	Blue (Medium)/Amber	Ultra-dura HC	Bendable wire-core
S3162	Blue (Medium)/Std. Gray	Ultra-dura HC	Bendable wire-core
S3163	Blue (Medium)/Shade 3.0	Ultra-dura HC	Bendable wire-core
S3165	Blue (Medium)/Shade 5.0	Ultra-dura HC	Bendable wire-core

#### REPLACEMENT LENSES

Item #	Frame Size	Lens Tint	Lens Coating
S6440	Large	Clear	Ultra-dura Anti-Scratch
S6440X	Large	Clear	Uvextreme Anti-Fog
S6440D	Large	Clear	Dura-streme (Anti-Fog/Anti-Scratch)
S6441	Large	Amber	Ultra-dura Anti-Scratch
S6441X	Large	Amber	Uvextreme Anti-Fog
S6442	Large	Standard Gray	Ultra-dura Anti-Scratch
S6442X	Large	Standard Gray	Uvextreme Anti-Fog
S6443	Large	Shade 3.0	Ultra-dura Anti-Scratch
S6445	Large	Shade 5.0	Ultra-dura Anti-Scratch
S6450	Medium	Clear	Ultra-dura Anti-Scratch
S6451	Medium	Amber	Ultra-dura Anti-Scratch
S6452	Medium	Standard Gray	Ultra-dura Anti-Scratch
S6453	Medium	Shade 3.0	Ultra-dura Anti-Scratch
S6455	Medium	Shade 5.0	Ultra-dura Anti-Scratch

#### Uvex Astrospec 3000®

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S135	Black/Clear	Ultra-dura HC	Spatula
S1359	Black/Clear	Ultra-dura HC	Duoflex
S135C	Black/Clear	Uvextreme AF	Spatula
S1359C	Black/Clear	Uvextreme AF	Duoflex
S136	Black/Gray	Ultra-dura HC	Spatula
S1369	Black/Gray	Ultra-dura HC	Duoflex
S136C	Black/Gray	Uvextreme AF	Spatula
S1360	Black/Light Gray	Ultra-dura HC	Spatula
S145	Black/Amber	Ultra-dura HC	Spatula
S137	Black/Silver Mirror	Ultra-dura HC	Spatula
S1379	Black/Silver Mirror	Ultra-dura HC	Duoflex
S112	Black/SCT-Low IR	Ultra-dura HC	Spatula
S1361	Black/SCT-Gray	Ultra-dura HC	Spatula
S1362C	Black/SCT-Vermilion	Uvextreme AF	Spatula
S13659X	Black/SCT-Blue	Uvextreme AF	Duoflex
S111029	Black/Shade 2.0 Infra-dura	Ultra-dura HC	Duoflex
S1111	Black/Shade 3.0 Infra-dura	Ultra-dura HC	Spatula
S1112	Black/Shade 5.0 Infra-dura	Ultra-dura HC	Spatula
S129	Blue/Clear	Ultra-dura HC	Spatula
S129C	Blue/Clear	Uvextreme AF	Spatula
S1299C	Blue/Clear	Uvextreme AF	Duoflex
S130	Blue/Gray	Ultra-dura HC	Spatula
S130C	Blue/Gray	Uvextreme AF	Spatula
S1169	Patriot RWB/Clear	Ultra-dura HC	Duoflex
S1169C	Patriot RWB/ Clear	Uvextreme AF	Duoflex
S1179	Patriot RWB/Gray	Ultra-dura HC	Duoflex

S1179C	Patriot RWB/Gray	Uvextreme AF	Duoflex
S11791	Patriot RWB/Light Gray	Ultra-dura HC	Duoflex
S1159	Patriot RWB/Amber	Ultra-dura HC	Duoflex
S1149	Patriot RWB/Silver Mirror	Ultra-dura HC	Duoflex

#### REPLACEMENT LENSES

Item #	Lens Tint	Lens Coating
S535	Clear	Ultra-dura HC
S535C	Clear	Uvextreme AF
S536	Gray	Ultra-dura HC
S536C	Gray	Uvextreme AF
S537	Amber	Ultra-dura HC
S538	Silver Mirror	Ultra-dura HC
S541	SCT-Gray	Ultra-dura HC
S539C	SCT-Vermilion	Uvextreme AF
S540	SCT-Low IR	Ultra-dura HC
S544C	SCT-Blue	Uvextreme AF
S5410	SCT-Reflect 50	Ultra-dura HC
S5412	Shade 2.0 Infra-dura	Ultra-dura HC
S542	Shade 3.0 Infra-dura	Ultra-dura HC
S543	Shade 5.0 Infra-dura	Ultra-dura HC

#### Uvex Astrospec 3000® S (Slim)

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S2700	Black/Clear	Ultra-dura HC	Spatula
S2700C	Black/Clear	Uvextreme AF	Spatula
S2701	Black/Gray	Ultra-dura HC	Spatula
S2701C	Black/Gray	Uvextreme AF	Spatula
S2709	Black/Shade 5.0 Infra-dura	Ultra-dura HC	Spatula
S2710	Blue/Clear	Ultra-dura HC	Spatula
S2710C	Blue/Clear	Uvextreme AF	Spatula
S2711	Blue/Gray	Ultra-dura HC	Spatula
S2711C	Blue/Gray	Uvextreme AF	Spatula
S2730	Patriot RWB/Clear	Ultra-dura HC	Spatula
S2730C	Patriot RWB/Clear	Uvextreme AF	Spatula
S2731	Patriot RWB/Gray	Ultra-dura HC	Spatula
S2731C	Patriot RWB/Gray	Uvextreme AF	Spatula

#### REPLACEMENT LENSES

Item #	Lens Tint	Lens Coating
S570	Clear	Ultra-dura HC
S570C	Clear	Uvextreme AF
S571	Gray	Ultra-dura HC
S571C	Gray	Uvextreme AF

#### Uvex Astrospec 3000® CB (Custom Bridge)

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S2200	Black/Clear	Ultra-dura HC	Spatula
S2200C	Black/Clear	Uvextreme AF	Spatula

#### REPLACEMENT LENSES

Item #	Lens Tint	Lens Coating
S528C	Clear	Uvextreme AF

#### Uvex Astrospec 3000® S CB (Slim Custom Bridge)

Item #	Frame Color/Lens	Tint Lens Coating	Temple Style
S2212	Blue/Clear	Ultra-dura HC	Spatula

#### Uvex Astrospec® OTG 3001

Item #	Frame Color/Lens Tint	Lens Coating	Temple Style
S2500	Black/Clear	Ultra-dura HC	Duoflex
S2500C	Black/Clear	Uvextreme AF	Duoflex
S2501	Black/Amber	Ultra-dura HC	Duoflex
S2504	Black/Gray	Ultra-dura HC	Duoflex
S2504C	Black/Gray	Uvextreme AF	Duoflex
S2505	Black/SCT-Low IR	Ultra-dura HC	Duoflex
S2506	Black/SCT-Gray	Ultra-dura HC	Duoflex

Call Customer Care at 800 430-5490.

**REFERENCE: APPLICATION SELECTION AND TECHNICAL INFO**

	Clear	Espresso	Gray	Amber	50% Gray	Light Gray	Dark Gray	Silver Mirror	Gold Mirror	Red Mirror	Blue Mirror	SCT-Reflect 50	SCT-Vermilion	SCT-Blue	SCT-Orange	SCT-Gray	SCT-Low IR	Infra-dura® 2.0	Infra-dura® 3.0	Infra-dura® 5.0	Cobalt	Didymium (glass)	Blue Mist	Photochromic	Polarized	
<b>Specifications</b>																										
VLT (Visual Light Transmission)	92%	15%	15%	90%	50%	35%	10%	15%	15%	15%	15%	50%	55%	57%	45%	15%	80%	35%	14%	2%	0.2%	48%	86%	21%	12%	
UV Absorption (UVA, UVB and UVC)	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	80.0%	99.9%	86.0%	99.9%	
<b>Applications</b>																										
Most indoor applications	■																						■	■		
Low light applications in which contrast may be enhanced				■									■											■		
Reduce lens glare from fluorescent and halogen lights													■													
Outdoor applications where sunlight and glare cause eye strain and fatigue		■	■		■	■	■	■	■	■	■	■				■										■
Indoor/outdoor applications	■			■	■							■													■	
Strong sunlight and glare		■	■				■	■	■	■	■					■									■	■
Indoor applications where peripheral infrared radiation protection is required (under welding helmets, near welding sites)																	■									
Work areas with high levels of yellow light using sodium vapor lighting														■												
Situations with high heat applications such as metal glare and glass blowing																					■	■				
Torch welding, torch brazing and cutting																		■	■	■						
Reduces eye fatigue by absorbing blue and green light (good for UV lamp exposure)															■											