



PS 10 x 14 M433PB
PS 14 x 20 M433PC
RP 10 x 14 M433RB
RP 14 x 20 M433RC



PS 7 x 7 S91P
RP 7 x 7 S91R



PS 10 x 18 SPSA52P
RP 10 x 18 SPSA52R



PS 10 x 18 SPSA123P
RP 10 x 18 SPSA123R



RP 20 x 14 DPSA1RC
AL 20 x 14 DPSA1AC



PS 10 x 14 M738PB
RP 10 x 14 M738RB
AL 10 x 14 M738AB
PSG 10 x 14 GL400PB
RPG 10 x 14 GL400RB



PS 20 x 14 M699PC
RP 20 x 14 M699RC




PS 14 x 10 M734PB
RP 14 x 10 M734RB
AL 14 x 10 M734AB



PS 10 x 18 SPSA173P
RP 10 x 18 SPSA173R



PS 14 x 10 M747PB
RP 14 x 10 M747RB
AL 14 x 10 M747AB



PS 14 x 10 M745PB
RP 14 x 10 M745RB
AL 14 x 10 M745AB



PS 10 x 18 SPSA101P
RP 10 x 18 SPSA101R



PS 10 x 18 SPSA102P
RP 10 x 18 SPSA102R



PS 14 x 10 M736PB
RP 14 x 10 M736RB
AL 14 x 10 M736AB



PS 20 x 14 M353PC
RP 20 x 14 M353RC
PSG 20 x 14 GL30PC
RPG 20 x 14 GL30RC



PS 20 x 14 M696PC
RP 20 x 14 M696RC




PS 20 x 14 M697PC
RP 20 x 14 M697RC



PS 20 x 14 M698PC
RP 20 x 14 M698RC



PS 18 x 4 M723P
RP 18 x 4 M723R




PS 18 x 4 M126P
RP 18 x 4 M126R
PSG 18 x 4 GL175P
RPG 18 x 4 GL175R



PS 12 x 4 M775AP
25/pk



RP 18 x 4 TV45
RPG 18 x 4 GLTV45




RP 16 x 8 3/4 VS44W
RPG 16 x 8 3/4 GLV44



PS 18 x 4 SPM125P
RP 18 x 4 SPM125R
PSG 18 x 4 SPGL174P
RPG 18 x 4 SPGL174R



RP 18 x 4 SPTV44
RPG 18 x 4 SPGLTV44



RP 16 x 8 3/4 SPVS43W
RPG 16 x 8 3/4 SPGLV43



PS 14 x 10 M739PB
RP 14 x 10 M739RB
AL 14 x 10 M739AB
PSG 14 x 10 GL401PB
RPG 14 x 10 GL401RB



PS 10 x 18 SPSA121P
RP 10 x 18 SPSA121R



PS 10 x 14 M436PB
PS 14 x 20 M436PC
RP 10 x 14 M436RB
RP 14 x 20 M436RC



PS 14 x 10 M737PB
RP 14 x 10 M737RB
AL 14 x 10 M737AB



PS 10 x 18 SPSA119P
RP 10 x 18 SPSA119R



PS 10 x 18 SPSA172P
RP 10 x 18 SPSA172R



PS 14 x 10 M743PB
RP 14 x 10 M743RB
AL 14 x 10 M743AB



PS 10 x 18 SPSA104P
RP 10 x 18 SPSA104R




PS 10 x 18 SPSA118P
RP 10 x 18 SPSA118R



PS 10 x 18 SPSA105P
RP 10 x 18 SPSA105R

Determining Header Selection Guide

OSHA and ANSI requires signage to indicate and define specific hazards that, without identification, may lead to injury or death. Select your sign with the header that indicates the degree of hazard in your application.



Use **DANGER** to indicate an immediate hazard which has a high probability to severe injury or death.



Use **WARNING** to indicate a potentially hazardous situation which, if not avoided, can result in serious injury or death.



Use **CAUTION** to indicate a potentially hazardous situation which may result in minor or moderate injury, but not death.



Use **NOTICE** to provide general information needed to avoid confusion.



These and similar headings are used with information about housekeeping, first aid, health, medical equipment, sanitation and general safety.



» Guide to Sign Legibility

Viewing Distance	Letter Height
30'	3/4"
40'	1"
55'	1 1/4"
65'	1 1/2"
75'	1 3/4"
85'	2"
115'	2 1/2"
135'	3"
150'	4"
200'	6"
350'	8"

Determine the viewing distance for your sign, then contact our Inside Sales Team and we'll do the rest!

